

MATERIAL SAFETY DATA SHEET
THE TESTOR CORPORATION
440 BLACKHAWK PARK AVENUE
ROCKFORD, ILLINOIS 61104

Telephone number: (815) 962-6654 (M-F 8:00 AM - 4:30 PM CDT)
24 hour Chemtrec telephone number:* (800) 424-9300 Page 1 of 3
24 hour Chemtrec International number:* (703) 527-3887 (collect calls accepted.)
*TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING
A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS.
Date prepared: 4/22/2008

This MSDS complies with OSHA 29 CFR 1910.1200 (The Hazard Communication Standard)

----- **SECTION I - PRODUCT IDENTIFICATION** -----

PRODUCT IDENTITY (TRADE NAME): #50496 Model Master Acryl Thinner
#50499 Model Master Water Wash-Up Acrylic
Enamel Thinner

----- **SECTION II - HAZARDOUS INGREDIENTS** -----

<u>INGREDIENT</u>	<u>CAS #</u>	<u>% WT</u>	<u>PEL</u>	<u>TLV</u>	<u>STEL</u>	<u>Unit</u>
NONE						

----- **SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS** -----

BOILING RANGE: 212 to 369 deg.F	SPECIFIC GRAVITY (H2O = 1): 1.008
GALLON WEIGHT OF	VAPOR PRESSURE: 17 mm Hg @ 20 deg.C
PRODUCT (Lbs/Gal): 8.40	VAPOR DENSITY: Lighter Than Air
PERCENT VOLATILES	EVAPORATION RATE: Slower than Ethyl Ether
(By Volume): 100	SOLUBILITY IN WATER: COMPLETE

----- **SECTION IV - FIRE & EXPLOSION HAZARD DATA** -----

FLASH POINT (SFCC): None
FLAMMABLE LIMITS (calc) IN AIR: Not Applicable.
EXTINGUISHING MEDIA: Not Applicable.
FIRE FIGHTING PROCEDURES: Not Applicable.
UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

MATERIAL SAFETY DATA SHEET
THE TESTOR CORPORATION
440 BLACKHAWK PARK AVENUE
ROCKFORD, ILLINOIS 61104

Telephone number: (815) 962-6654 (M-F 8:00 AM - 4:30 PM CDT)
24 hour Chemtrec telephone number: *(800) 424-9300 Page 2 of 3
24 hour Chemtrec International number: *(703) 527-3887 (collect calls accepted.)
Date prepared: 4/22/2008

Product Identity: #50496 Model Master Acryl Thinner
#50499 Model Master Water Wash-Up Acrylic Enamel Thinner

----- **SECTION V - SPILL OR LEAK PROCEDURES** -----

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Flush with large amounts of water.

WASTE DISPOSAL METHOD:

Product is readily biodegradable in a biological wastewater treatment plant.

----- **SECTION VI - HEALTH HAZARD DATA** -----

CARCINOGENICITY: NTP? NO IARC? NO OSHA REGULATED? NO

EFFECTS OF OVEREXPOSURE:

EYE CONTACT: May cause minimal irritation seen as slight excess redness of the conjunctiva.

SKIN CONTACT: May cause minimal skin irritation seen as mild local redness.

BREATHING: No evidence of adverse effects from available information.

SWALLOWING: No evidence of adverse effects from available information.

CHRONIC OVEREXPOSURE: Repeated skin contact may result in the development of an allergic skin reaction in a very small proportion of individuals.

----- **SECTION VII EMERGENCY AND FIRST AID PROCEDURES** -----

EYE CONTACT: Wash immediately with plenty of water for 15 minutes while holding eye lids open. Call a physician.

SKIN CONTACT: Wash Skin with soap and water.

BREATHING: Remove to fresh air.

SWALLOWING: No emergency care anticipated.

MATERIAL SAFETY DATA SHEET
THE TESTOR CORPORATION
440 BLACKHAWK PARK AVENUE
ROCKFORD, ILLINOIS 61104

Telephone number: (815) 962-6654 (M-F 8:00 AM - 4:30 PM CDT)
24 hour Chemtrec telephone number: *(800) 424-9300 Page 3 of 3
24 hour Chemtrec International number: *(703) 527-3887 (collect calls accepted.)
Date prepared: 4/22/2008

Product Identity: #50496 Model Master Acryl Thinner
#50499 Model Master Water Wash-Up Acrylic Enamel Thinner

----- **SECTION VIII- REACTIVITY DATA** -----

STABILITY: Stable.

CONDITIONS TO AVOID: None.

INCOMPATIBILITY (Materials to Avoid): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will not occur.

----- **SECTION IX SPECIAL PROTECTION INFORMATION** -----

RESPIRATORY PROTECTION: None expected to be needed.

VENTILATION: General room ventilation is expected to be satisfactory.

PROTECTIVE GLOVES: Solvent resistant are recommended for prolonged contact.

EYE PROTECTION: Chemical safety splash goggles.

OTHER PROTECTIVE EQUIPMENT: Eye-Wash Station.

----- **SECTION X SPECIAL PRECAUTIONS** -----

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Read all label cautions. Keep container closed. Do not drop container.

This product is packaged and sold as a consumer good. This information is believed to be reliable and accurate, as of the date indicated. It is supplied on the condition that recipients will make their own determination as to its suitability and completeness for their purposes. The Testor Corporation assumes no responsibility for any damages resulting from reliance on this information.